

Message

---

**From:** Bloom, Judy [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=5094D85839444B28B2151D11A4FE5961-BLOOM, JUDY]  
**Sent:** 10/28/2020 5:14:54 AM  
**To:** Todd, Andrew [Todd.Andrew@epa.gov]  
**Subject:** RE: MT Se Criteria comments

Hi Andrew – couple of questions – show stoppers? Seems like we are happy, in general.

Ayn's and Jason's thoughts?

## Ex. 5 Deliberative Process (DP)

Thanks Andrew – lets chat in the am if you have time.

Judy Bloom | Manager | Clean Water Branch | USEPA, R8 | 1595 Wynkoop St, 8WD-CW | Denver CO | 80202 | 303 312 6395 | [bloom.judy@epa.gov](mailto:bloom.judy@epa.gov)

---

**From:** Todd, Andrew <Todd.Andrew@epa.gov>  
**Sent:** Tuesday, October 27, 2020 3:37 PM  
**To:** Bloom, Judy <Bloom.Judy@epa.gov>  
**Subject:** MT Se Criteria comments

Hello Judy:

Given the sensitivity to this issue, I wanted to get this comment letter in front of you (and potentially Darcy) before sending it out under my signature. Tonya drafted it, and it has been reviewed by Erin, SHPD, and I. The comments are due by Friday, but as the date shows, Tonya was hoping to send them out by COB Thursday. Please forward along to Darcy if you think that step is warranted.

Let me know if you have any comments or concerns.

Thanks Judy!

AT

Andrew Todd  
Water Quality Section Chief  
U.S. Environmental Protection Agency - Region 8  
(p) 303.312.7821  
(c) 303.349.7507